


Suspended ceiling variants

Adaptions on comfort modules and climate beams



QUICK GUIDE

- This guide helps you to find the right fit for the most commonly available ceiling profiles.
- Provides a perfect fit for all types of roofs.
- Swegon's comfort modules and climate beams are as standard designed for suspended ceilings with T-bars, with modular dimensions of 600 mm. They can easily be adapted to fit most available suspended ceiling systems.



Content

Settings for ceiling type	3
ProSelect	3
IC-Design	3
Compilation of selectable measurements for each ceiling type	4
Suspended ceiling adaptations for PARASOL Classic, WISE Parasol.....	5
Ecophon Focus A15/A24	5
Ecophon Focus DS / Rockfon X.....	5
Ecophon Focus DG / Rockfon M.....	5
Ecophon Focus E15	5
Ecophon Focus E24.....	5
Rockfon L	5
Donn FINELINE.....	6
SAS 130.....	6
Donn DX 15/24.....	6
SAS 140	6
Suspended ceiling adaptations for PARASOL Zenith, PARASOL Zenith VAV, WISE Parasol Zenith	7
Ecophon Focus A15/A24	7
Ecophon Focus E15	7
Ecophon Focus DG / Rockfon M.....	7
Ecophon Focus E24.....	7
Ecophon Focus DS / Rockfon X.....	7
Rockfon L	7
Donn FINELINE.....	8
SAS 130.....	8
Donn DX 15/24.....	8
SAS 140 *	8
Suspended ceiling adaptations for PACIFIC	9
Ecophon Focus A15/A24 DONN DX 15/24	9
Ecophon Focus DS / Rockfon X.....	9
Ecophon Focus DG / Rockfon M.....	10
Ecophon Focus E15	10
Ecophon Focus E24 /Rockfon L.....	10
Notes.....	11

Settings for ceiling type

Set the required ceiling type in the product selection program ProSelect or IC-Design

ProSelect

Default project settings

Unit color ? Standard RAL 9003/NCS S 0500-N (gloss 30-40%) ▼

Ceiling type ? c-c 600mm Tbar (592/594 mm) ▼

Concealed grid

Factory settings ? Configuration in Factory ▼

Default project settings

Unit color ? Standard RAL 9003/NCS S 0500-N (gloss 30-40%) ▼

Ceiling type ? c-c 600mm Tbar (592/594 mm)

Factory settings ? Clip In & Frame 600mm (598 mm)

c-c 600mm SAS 130 (584 mm)

c-c 625mm Tbar (617 mm)

c-c 675mm Tbar (667 mm)

c-c 24 inch Tbar (603 mm)

Clip In & Frame 625mm (623 mm)

c-c 650mm Tbar (642 mm)

Default project settings

Unit color ? Standard RAL 9003/NCS S 0500-N (gloss 30-40%) ▼

Ceiling type ? Clip In & Frame 600mm (598 mm) ▼

Concealed grid

Factory settings ? Configuration in Factory ▼

Default project settings

Unit color ? Standard RAL 9003/NCS S 0500-N (gloss 30-40%) ▼

Ceiling type ? Clip In & Frame 600mm (598 mm)

Factory settings ? c-c 600mm Tbar (592/594 mm)

c-c 600mm SAS 130 (584 mm)

c-c 625mm Tbar (617 mm)

c-c 675mm Tbar (667 mm)

c-c 24 inch Tbar (603 mm)

Clip In & Frame 625mm (623 mm)

c-c 650mm Tbar (642 mm)

IC-Design

Ceiling type

c-c 600 mm T-bar system ▼

N/A

c-c 500 mm T-bar system

c-c 600 mm T-bar system

c-c 625 mm T-bar system

c-c 650 mm T-bar system

c-c 675 mm T-bar system

c-c 24 inch T-bar system

Clip-in & Cassette 600 mm

Clip-in & Cassette 625 mm

c-c 600 mm SAS 130

Plasterboard ceiling c-c 600 mm (592/594 mm)

Plasterboard ceiling c-c 24 inch (603 mm)

Concealed grid c-c 600 mm T-bar system

Concealed grid Clip-in & Cassette 600 mm

General Settings

Ceiling type

Concealed grid Clip-in & Cassette 600 mm

General Settings

Ceiling type

Concealed grid c-c 600 mm T-bar system

Compilation of selectable measurements for each ceiling type

PARASOL Classic, WISE Parasol, PARASOL Zenith, PARASOL Zenith VAV, WISE Parasol Zenith

Ceiling type	Width	Length
C-C 600	592	592
	592	1192
	592	1792

C-C 600 SAS 130	584	584
	584	1184
	584	1784

Clip-in Frame 600 (598)	598	598
	598	1198
	598	1798

C-C 625	617	617
	617	1242
	617	1867

C-C 675	667	667
	667	1342
	667	2017

C-C 24 Inch	603	603
	603	1213
	603	1823

Clip in & Frame 625	623	623
	623	1248
	623	1873

C-C 650	642	642
	642	1242
	642	1942

PACIFIC

Ceiling type	Width	Length
C-C 600	594	1194
	594	1794
	594	2394
	594	2994

C-C 600 "Concealed grid" (592/594)	594	1194
	594	1794
	594	2394
	594	2994

Clip-in Frame 600 (598)	598	1198
	598	1798
	598	2398
	598	2998

Clip-in Frame 600 "Concealed grid" (598)	598	1198
	598	1798
	598	2398
	598	2998


C-C 625	617	1242
	617	1867
	617	2492

C-C 675	667	1342
	667	2017
	667	2692

C-C 24 Inch	603	1213
	603	1823
	603	2433
	603	3043


Suspended ceiling adaptations for PARASOL Classic, WISE Parasol

Ecophon Focus A15/A24




Choose PARASOL Classic, size 592, 1192

Ecophon Focus E15




Choose PARASOL Classic, size 592, 1192

Ecophon Focus DS / Rockfon X




Choose PARASOL Classic, size 598, 1198

Ecophon Focus E24




Choose PARASOL Classic, size 592, 1192

Ecophon Focus DG / Rockfon M



Choose PARASOL Classic, size 592, 1192


Rockfon L



Choose PARASOL Classic, size 598, 1198


Suspended ceiling adaptations

Donn FINELINE




Choose PARASOL Classic, size 584, 1184

Donn DX 15/24




Choose PARASOL Classic, size 592, 1192

SAS 130



Choose PARASOL Classic, size 584, 1184


SAS 140



Choose PARASOL Classic, size 598, 1198


Suspended ceiling adaptations for PARASOL Zenith, PARASOL Zenith VAV, WISE Parasol Zenith

Ecophon Focus A15/A24




Choose PARASOL Zenith, size 592, 1192

Ecophon Focus E24




Choose PARASOL Zenith, size 592, 1192

Ecophon Focus E15




Choose PARASOL Zenith, size 592, 1192

Ecophon Focus DS / Rockfon X




Choose PARASOL Zenith, size 598, 1198

Ecophon Focus DG / Rockfon M



Choose PARASOL Zenith, size 592, 1192


Rockfon L



Choose PARASOL Zenith, size 592, 1192


Suspended ceiling adaptations

Donn FINELINE




Choose PARASOL Zenith, size 584, 1184

Donn DX 15/24




Choose PARASOL Zenith, size 592, 1192

SAS 130



Choose PARASOL Zenith, size 584, 1184

SAS 140 *







Choose PARASOL Zenith, size 598, 1198





*Check if airconnection needs to be on short or long side

Suspended ceiling adaptations for PACIFIC

Ecophon Focus A15/A24 DONN DX 15/24



Ecophon Focus DS / Rockfon X



Floor

General Settings

System

State system type
 CAV (constant flow)

Ceiling type
 Concealed grid Clip-in & Cassette 600 mm

Market
 Europe

Room 1

Default project settings

Unit color
 Standard RAL 9003/NCS S 0500-N (gloss 30-40%)



Ceiling type
 Clip In & Frame 600mm (598 mm)

Concealed grid


Factory settings
 Configuration in Factory

Hidden "T-Bar": Clip in

Suspended ceiling adaptations



Ecophon Focus DG / Rockfon M



Floor

General Settings

System

State system type
 CAV (constant flow)

Ceiling type
 Concealed grid c-c 600 mm T-bar system

Market
 Europe

Room 1


Default project settings

Unit color
 [Standard RAL 9003/NCS S 0500-N (gloss 30-40%)]

Ceiling type
 [c-c 600mm Tbar (592/594 mm)]


Concealed grid

Factory settings
 [Configuration in Factory]



Hidden "T-Bar": c-c600

Ecophon Focus E15



Floor

General Settings

System

State system type
 CAV (constant flow)

Ceiling type
 Concealed grid c-c 600 mm T-bar system

Market
 Europe

Room 1


Default project settings

Unit color
 [Standard RAL 9003/NCS S 0500-N (gloss 30-40%)]

Ceiling type
 [c-c 600mm Tbar (592/594 mm)]


Concealed grid

Factory settings
 [Configuration in Factory]



Hidden "T-Bar": c-c600

Ecophon Focus E24 /Rockfon L



Floor

General Settings

System

State system type
 CAV (constant flow)

Ceiling type
 Concealed grid c-c 600 mm T-bar system

Market
 Europe

Room 1


Default project settings

Unit color
 [Standard RAL 9003/NCS S 0500-N (gloss 30-40%)]

Ceiling type
 [c-c 600mm Tbar (592/594 mm)]

Concealed grid

Factory settings
 [Configuration in Factory]



Hidden "T-Bar": c-c600

Suspended ceiling adaptations

